

## Large Volume Tris Buffered Saline (25X)

### INTENDED USE

For In Vitro Diagnostic Use

### AVAILABILITY:

Catalog # Volume  
TA-125-TB 125 ml

### DESCRIPTION

Tris Buffered Saline has been formulated in a 25X concentration for use as a wash buffer for immunolabeling techniques.

### WARNINGS & PRECAUTIONS

Refer to MSDS.

### STORAGE & SHELF LIFE

Store Tris Buffered Saline at room temperature.

- Concentrate is stable for 24 months from date of manufacture.
- Diluted solution should be used within one week. If solution becomes cloudy, discard and make fresh solution.

NOTE: The salts in the 25X solution are highly concentrated.

- Temperatures below 44 degrees F (6 degrees C) may cause the salts to precipitate.
- If this occurs, stir the solution at room temperature for about 30 minutes to re-dissolve the salts (use an alcohol-cleaned stir-bar to prevent bacterial contamination).

### MICROBIOLOGICAL STATE

Product(s) not sterile.

### MATERIALS REQUIRED BUT NOT PROVIDED

N/A

### SPECIMEN & REAGENT PREPARATION

Refer to Procedure.

### PROCEDURE

To make a 1X TBS solution dilute concentrate 25X with distilled water.

- Use 40 ml TBS concentrate per 960 ml distilled water
- Measure and pour appropriate volume of 25X TBS concentrate into a mixing flask and add DI water to final volume.
- Stir briefly.

The 1X solution should be pH 7.6 ± 0.2.

- The pH of the solution may require slight adjustment.
- Adjust pH with 1N HCl (if pH is high) or 1N NaOH (if pH is low).
- **NOTE:** Tris buffers require the use of a calomel pH probe or a double-junction pH probe to obtain the correct pH reading.

Diluted solution should be used within one week. If solution becomes cloudy, discard and make fresh solution.

### REFERENCES

N/A

### TROUBLESHOOTING

Please contact Thermo Fisher Scientific Technical Support by phone (1-510-991-2800 or 1-800-828-1628) or by email (lab.reagents@thermofisher.com).